

PRODUCT INDEX

Heavy duty double bolt clamps are constructed from zinc plated iron for rugged use. They are available in 22 sizes covering a range of hose outside diameters from 17mm through to 381mm.



















































Super hose clamps are produced from zinc plated steel or 304 stainless steel. They are available in over 30 sizes covering a range of hose outside diameters from 17mm through to 252mm. The band edge is rolled to prevent damage to the hose.

Worm drive clips are produced from zinc plated steel or stainless steel. They are available in over 20 sizes and are widely used throughout the industry as a cost effective method of securing end fittings into light duty hose.

Band-it strapping is available as band & buckle or as a preformed clip. The band for the band & buckle system is supplied as a continuous 100 ft (30.5m) roll so any size of clip can be produced. It is available in 2 grades of stainless steel - type 301 grade is the basic type for the majority of applications. Type 316 grade are used for applications needing a high degree of corrosion resistance. Used extensively in moist atmospheres and environments, which are subject to chemical, salt & acid attack. Preformed clips come 'ready made' and are available in various sizes from 19mm I.D. to 203mm in different band widths - ¼", ⅜", ½", & ⅝". To complement the Band-it range, we have a number of tools and spare parts available for the application of the different styles of clip.

O clips and P clips are suitable for light duty securing of hose assemblies, and are quick and easy to install. The O clip is zinc plated and comes as a single or double ear option. The P clip is zinc plated and comes with a nitrile cover to prevent hose damage.

Whipcheck steel cables complete with spring loaded loops are used on air, steam hoses etc for the safe holding of assemblies should they become accidentally separated. This helps prevent injury to operators and damage to plant & machinery. Manufactured from steel components for standard applications with copper ferruled option - used for offshore & mining and a stainless steel option - used where a high degree of corrosion resistance is needed.

	Series	Page		Series	Page
	THC	442		SS/OC	443
	DHC	442		SS/OC1	443
	SHC	442		CT	443
	SS/SHC	442		OCP	443
	CHC	442		Flexi-D	443
	PHC	443		MS	444
	SS/PHC	443		HNSS	444
	OC	443			444
	OC1	443		NBC	445
				WHC	445
					445
				CC	445
				CDR	445
				WDR	445
				CD1	445
				HP1	445
				SD540	445
				HCP143	445
				JA165	445
				OK175	445
				MDK-01	445
				THC CARRY	445
				WSR	446
				WB	446
				C/WB	446
				TBC	446
				STBC	446
				SCCW	446
				SCAC	446
				DBC	447
				SS/CST	447
				SS/CBK	447
				PCL	447
				PCU	447
				CLT	448
				SAT	448
				MLT	448
				LCT	448
				HNT	448
				HHT	448
				HHT	448

For Technical Data please see Section 9

Worm Drive Hose Clips



Part Number	Diameter (mm)	Dimension - (i/mm)	Band Width (mm)
THC-012	8-12	23.6	6
THC-016	8-16	25	6
THC-020	12-22	25	6
THC-025	16-27	27.5	7
THC-032	20-32	27.5	7
THC-040	25-40	31	10
THC-050	32-50	31	10
THC-060	40-60	35	10
THC-070	50-70	35	10
THC-080	60-80	35	10
THC-090	70-90	35	10
THC-100	80-100	29	10
THC-110	90-110	29	10
THC-120	100-120	29	10
THC-140	120-140	29	10

Stainless Steel Heavy Duty Hose Clamps



Part Number	Diameter (mm)	Band Width (mm)
SS/SHC-019	17-19	8
SS/SHC-021	19-21	8
SS/SHC-022	20-22	8
SS/SHC-023	21-23	8
SS/SHC-025	23-25	8
SS/SHC-027	25-27	8
SS/SHC-028	26-28	8
SS/SHC-029	27-29	8
SS/SHC-031	29-31	10
SS/SHC-034	31-34	10
SS/SHC-035	32-35	10
SS/SHC-037	34-37	10
SS/SHC-039	36-39	10
SS/SHC-040	37-40	10
SS/SHC-043	40-43	10
SS/SHC-047	43-47	10
SS/SHC-051	47-51	10
SS/SHC-055	51-55	10
SS/SHC-059	55-59	10
SS/SHC-063	59-63	10
SS/SHC-067	64-67	10
SS/SHC-068	63-68	10
SS/SHC-073	68-73	13
SS/SHC-079	73-79	13
SS/SHC-085	79-85	13
SS/SHC-091	85-91	13
SS/SHC-097	91-97	13
SS/SHC-104	97-104	13
SS/SHC-112	104-112	13
SS/SHC-121	112-121	13
SS/SHC-130	122-130	13
SS/SHC-140	130-140	13
SS/SHC-150	140-150	13
SS/SHC-161	150-162	15

3.15

Ducting Hose Clip



Part Number	Diameter (mm)
DHC-050	50-75
DHC-075	70-90
DHC-100	100-120
DHC-125	120-140
DHC-150	150-170
DHC-160	160-180
DHC-200	240-260

Heavy Duty Hose Clamps



Part Number	Diameter (mm)	Band Width (mm)
SHC-019	17-19	8
SHC-021	19-21	8
SHC-022	20-22	8
SHC-023	21-23	8
SHC-025	23-25	8
SHC-027	25-27	8
SHC-028	26-28	8
SHC-029	27-29	8
SHC-031	29-31	10
SHC-034	31-34	10
SHC-035	32-35	10
SHC-037	34-37	10
SHC-039	36-39	10
SHC-040	37-40	10
SHC-043	40-43	10
SHC-047	43-47	10
SHC-051	47-51	10
SHC-055	51-55	10
SHC-059	55-59	10
SHC-063	59-63	10
SHC-067	64-67	10
SHC-068	63-68	10
SHC-073	68-73	13
SHC-079	73-79	13
SHC-085	79-85	13
SHC-091	85-91	13
SHC-097	91-97	13
SHC-104	97-104	13
SHC-112	104-112	13
SHC-121	112-121	13
SHC-130	122-130	13
SHC-140	130-140	13
SHC-150	140-150	13
SHC-161	150-162	15

Cobra Hose Clip



Part Number	Diameter (mm)	Band Width (mm)
CHC-0075	7.5	7
CHC-008	8	7
CHC-0085	8.5	7
CHC-009	9	7
CHC-0095	9.5	7
CHC-010	10	7
CHC-0105	10.5	7
CHC-011	11	7
CHC-0115	11.5	7
CHC-012	12	8
CHC-013	13	8
CHC-014	14	8
CHC-015	15	8
CHC-016	16	8
CHC-017	17	8
CHC-018	18	8
CHC-019	19	8
CHC-020	20	8
CHC-021	21	8
CHC-022	22	8
CHC-023	23	8
CHC-024	24	8
CHC-025	25	8
CHC-026	26	8
CHC-027	27	8
CHC-028	28	8
CHC-029	29	8
CHC-030	30	8

Pipe Retaining Clips

Part Number	Diameter (mm)
PHC-005	5
PHC-006	6
PHC-009	9
PHC-010	10
PHC-012	12
PHC-013	13
PHC-015	15
PHC-016	16
PHC-018	18
PHC-019	19
PHC-020	20
PHC-022	22
PHC-025	25
PHC-027	27
PHC-029	29
PHC-032	32
PHC-035	35
PHC-038	38
PHC-040	40
PHC-044	44
PHC-048	48
PHC-050	50
PHC-055	55
PHC-070	70



Pipe Retaining Clip (Stainless Steel)

Part Number	Diameter (mm)
SS/PHC-005	5
SS/PHC-006	6
SS/PHC-009	9
SS/PHC-010	10
SS/PHC-012	12
SS/PHC-013	13
SS/PHC-015	15
SS/PHC-016	16
SS/PHC-018	18
SS/PHC-019	19
SS/PHC-020	20
SS/PHC-022	22
SS/PHC-025	25
SS/PHC-027	27
SS/PHC-029	29
SS/PHC-032	32
SS/PHC-035	35
SS/PHC-038	38
SS/PHC-040	40
SS/PHC-044	44
SS/PHC-048	48
SS/PHC-050	50
SS/PHC-055	55
SS/PHC-070	70



Double Ear Clamp

Part Number	Diameter (mm)	Band Width (mm)
OC-04	5-7	6
OC-05	7-9	6
OC-06	9-11	6.5
OC-07	11-13	6.5
OC-08	13-15	6.5
OC-09	14-17	7
OC-10	15-18	7.5
OC-12	17-20	7.5
OC-14	20-23	8
OC-16	23-27	8.5
OC-19	28-31	9



Single Ear Clamp

Part Number	Diameter (mm)	Band Width (mm)
OC1-04	5-6	6
OC1-05	6-7	6
OC1-06	9-11	6.5
OC1-07	11-13	6.5
OC1-08	12-14	6.5
OC1-09	14-16	7
OC1-10	16-18	7.5
OC1-12	18-20	7.5
OC1-14	20-22	8
OC1-16	22-25	8.5
OC1-19	27-30	9



Double Ear Clamp (Stainless Steel)

Part Number	Diameter (mm)	Band Width (mm)
SS/OC-04	5-7	6
SS/OC-05	7-9	6
SS/OC-06	9-11	6.5
SS/OC-07	11-13	6.5
SS/OC-08	13-15	6.5
SS/OC-09	14-17	7
SS/OC-10	15-18	7.5
SS/OC-12	17-20	7.5
SS/OC-14	20-23	8
SS/OC-16	23-27	8.5
SS/OC-19	28-31	9



3.
15

Single Ear Clamp (Stainless Steel)

Part Number	Diameter (mm)
SS/OC1-04	5-6
SS/OC1-05	6-7
SS/OC1-06	6-5
SS/OC1-07	11-13
SS/OC1-08	12-14
SS/OC1-09	14-16
SS/OC1-10	16-18
SS/OC1-12	18-20
SS/OC1-14	20-22
SS/OC1-16	22-25
SS/OC1-19	27-30



Cable Ties

Part Number	Diameter (mm)
CT-01	4.8 x 200
CT-02	4.8 x 360
CT-03	4.8 x 430
CT-04	7.8 x 365
CT-05	12.7 x 500



O' Clip Pliers

Part Number
OCP-98



Worm Drive Flexi Screwdriver

Part Number	Diameter (mm)
Flexi-D-6mm	6
Flexi-D-7mm	7



Jubilee® Zinc Plated Mild Steel & Stainless Steel Clips



3.15

Mild Steel	304 Stainless Steel	316 Stainless Steel	Adjustments				Pack Sizes				
Part Number	Part Number	Part Number	BS No.	mm	Inches	Band width mm	'Z' Max.	Band Thickness mm	10's	Bulk	Weights per 100 (kgs)
00MS	00SS	00HNSS	12	9.5-12	3/8 - 1/2	9	21	0.762	10 - 100	500	1.2
MO0MS	MO0SS	MO0HNSS	16	11-16	1/2 - 5/8	9	21	0.762	10 - 100	500	1.3
O0MS	O0SS	O0HNSS	20	13-20	1/2 - 3/4	9	21	0.762	10 - 100	450	1.3
0MS	0SS	0HNSS	22	16-22	5/8 - 7/8	13	25	0.914	10 - 100	500	2.2
0XMS	0XSS	0XHNSS	25	18-25	3/4 - 1	13	29	0.914	10 - 100	450	2.3
1AMS	1ASS	1AHNSS	30	22-30	7/8 - 1 1/8	13	29	0.914	10 - 100	350	2.8
1MS	1SS	1HNSS	35	25-35	1 - 1 3/8	13	29	0.914	10 - 100	275	3.0
1XMS	1XSS	1XHNSS	40	30-40	1 1/8 - 1 5/8	13	29	0.914	10 - 100	200	3.1
1MMS	1MSS	1MHNSS	45	32-45	1 1/4 - 1 3/4	13	33	0.914	10 - 100	175	3.2
2AMS	2ASS	2AHNSS	50	35-50	1 3/8 - 2	13	33	0.914	10 - 100	150	3.9
2MS	2SS	2HNSS	55	40-55	1 5/8 - 2 1/8	13	33	0.914	10 - 100	125	4.0
2XMS	2XSS	2XHNSS	60	45-60	1 3/8 - 2 3/8	13	33	0.914	10 - 100	250	4.2
3MS	3SS	3HNSS	70	55-70	2 1/8 - 2 3/4	13	33	0.914	10 - 100	200	4.5
3XMS	3XSS	3XHNSS	80	60-80	2 3/8 - 3 1/8	13	33	0.914	-	150	4.8
4MS	4SS	4HNSS	90	70-90	2 3/4 - 3 1/2	13	33	0.914	-	125	5.1
4XMS	4XSS	4XHNSS	100	85-100	3 1/4 - 4	13	33	0.914	-	100	5.4
5MS	5SS	5HNSS	120	90-120	3 1/2 - 4 3/4	13	33	0.914	-	100	6.0
6MS	6SS	6HNSS	140	110-140	4 3/8 - 5 1/2	13	33	0.914	-	75	6.9
6XMS	6XSS	6XHNSS	150	120-150	4 3/4 - 5 7/8	13	33	0.914	-	50	7.1
7MS	7SS	7HNSS	165	135-165	5 1/4 - 6 1/2	13	33	0.914	-	50	7.6
7.5MS	7.5SS	7.5HNSS	190	158-190	6 1/4 - 7 1/2	13	33	0.914	-	50	8.5
8.5MS	8.5SS	8.5HNSS	216	184-216	7 1/4 - 8 1/2	13	33	0.914	-	50	9.1
9.5MS	9.5SS	9.5HNSS	242	210-242	8 1/4 - 9 1/2	13	33	0.914	-	50	9.9
10.5MS	10.5SS	10.5HNSS	267	235-267	9 1/4 - 10 1/2	13	33	0.914	-	50	10.5
11.5MS	11.5SS	11.5HNSS	292	260-292	10 1/4 - 11 1/2	13	33	0.914	-	50	11.3
12.5MS	12.5SS	12.5HNSS	318	286-318	11 1/4 - 12 1/2	13	33	0.914	-	50	12.2

Jubilee Wingspade® Clips



Part Number	Range	Working dia (mm)
00/12	00/12	8 - 12
M00/16	M00/16	10 - 16
00/20	00/20	12 - 20
0X/25	0X/25	16 - 25
1A/32	1A/32	20 - 32
1X/40	1X/40	25 - 40
2A/50	2A/50	32 - 50
2X/60	2X/60	40 - 60
3/70	3/70	50 - 70

Nut and Bolt Hose Clip

Part Number	Diameter (mm)
NBC-9	7-9
NBC-10	8-10
NBC-11	9-11
NBC-12	10-12
NBC-13	11-13
NBC-14	12-14
NBC-15	13-15
NBC-16	14-16
NBC-17	15-17
NBC-18	16-18



Wingspade Hose Clip

Part Number	Diameter (mm)
WHC-12	8-12
WHC-16	10-16
WHC-20	12-20
WHC-25	16-25
WHC-32	20-32
WHC-40	25-40
WHC-50	32-50
WHC-60	40-60
WHC-70	50-70



Mild Steel Multiband

Part Number	Band Width (mm)
1701	11
1702	11
1703	11
1704	11
1705	11
1706	11
1708	11
1802	11
1803	11
1804	11
1805	11
1806	11
1601	7
1602	7
1603	7
1604	7
1605	7



Carded Clips

Part Number	Diameter (mm)
000CC	9.5 - 12mm
MO0CC	11 - 16mm
00CC	13 - 20mm
OCC	16 - 22mm
1ACC	22 - 30mm
1CC	25 - 35mm
1XCC	30 - 40mm
2ACC	35 - 50mm
2CC	40 - 55mm



Jubilee® Clipdrivers

Part Number	
CDR95	95mm
CDR160	160mm



Jubilee® Wingdriver

Part Number	
WDR	Wingdriver



Clip Dispensers



Part Number	
CD100MS	Mild Steel complete with hose clips
CD100SS	Stainless Steel complete with hose clip



Part Number	
HP100MS	Mild Steel Handy Pack with hose clips
HP100SS	Stainless Steel Handy Pack with hose clips



Smart Dispenser

Part Number	
SD540	



Workshop Pack

Part Number	
HCP143MS	Mild Steel
HCP143SS	Stainless Steel



Junior Assortment

Part Number	
JA165	



O'Clips Kits

Part Number	
OK175P	
OK175	



Worm Drive Kits

Part Number	
MDK-01	Worm Drive Hose Clip Display
THC CARRY	Worm Drive Hose Clip Kit



Whipcheck Safety Cable

A POSITIVE SAFEGUARD FOR HOSE CONNECTIONS

MATERIALS: STEEL AND STEEL WITH COPPER FERRULES. STAINLESS STEEL (UPON REQUEST).

DETAILS: STRONG STEEL CABLES HELP PREVENT HOSE WHIP IN CASE OF ACCIDENTAL SEPARATION OF COUPLING OR CLAMP DEVICE.

"WHIP-CHECK" reaches across the hose fittings to provide stand-by safety for hose. Spring-loaded loops in the cable ends open easily to pass over the couplings for firm grip on hose. Tested to perform to Pirtek stringent inhouse standards.

WSR Series for Hose-to-Tool Service



Part Number	Cable	Size	Length
WSR-20	1/8"	1/2" - 1 1/4"	20 1/4"
WSR-38	1/4"	1 1/2 - 3"	38"

W Series for Hose-to-Hose Service



Part Number	Cable	Size	Length
WB-20	1/8"	1/2" - 1 1/4"	20 1/4"
WB-38	1/4"	1 1/2 - 3"	38"

Copper Ferrules for Offshore/Mining Applications



Part Number	Cable	Size	Length
C/WB-20	1/8"	1/2" - 1 1/4"	20 1/4"
C/WB-38	1/4"	1 1/2" - 3"	38"

TBC Series Heavy Duty Mild Steel T-Bolt Clamps



Part Number	Size (ins)	From	O.D. To
TBC-40	1 1/2	32.5	40.8
TBC-46	1 3/4	38.8	46.8
TBC-50	1 7/8	42.6	50.0
TBC-53	2	45.2	53.1
TBC-60	2 1/4	51.5	59.5
TBC-63	2 3/8	54.0	62.7
TBC-66	2 1/2	57.9	65.8
TBC-67	2 9/16	59.5	67.4
TBC-69	2 5/8	61.1	69.0
TBC-72	2 3/4	64.2	72.2
TBC-75	2 7/8	67.4	75.4
TBC-78	3	70.6	78.5
TBC-82	3 1/8	73.8	81.7
TBC-85	3 1/4	76.9	84.9
TBC-91	3 1/2	83.3	91.2
TBC-98	3 3/4	89.6	97.6
TBC-104	4	96.0	103.9
TBC-110	4 1/4	102.3	110.3
TBC-116	4 1/2	108.7	116.6
TBC-123	4 3/4	115.0	123.0
TBC-129	5	121.4	129.3
TBC-135	5 1/4	127.7	135.0
TBC-142	5 1/2	134.0	142.0
TBC-148	5 3/4	140.4	148.4
TBC-155	6	146.8	154.7
TBC-161	6 1/4	153.0	161.0
TBC-167	6 1/2	159.5	167.4
TBC-173	6 3/4	165.0	173.0
TBC-180	7	172.2	180.0
TBC-192	7 1/2	184.0	192.0

STBC Series Heavy Duty Stainless Steel T-Bolt Clamps



Part Number	Size (ins)	OD From	To
STBC-40	1 1/2	32.5	40.8
STBC-46	1 3/4	38.8	46.8
STBC-50	1 7/8	42.6	50.0
STBC-53	2	45.2	53.1
STBC-60	2 1/4	51.5	59.5
STBC-63	2 3/8	54.0	62.7
STBC-66	2 1/2	57.9	65.8
STBC-67	2 9/16	59.5	67.4
STBC-69	2 5/8	61.1	69.0
STBC-72	2 3/4	64.2	72.2
STBC-75	2 7/8	67.4	75.4
STBC-78	3	70.6	78.5
STBC-82	3 1/8	73.8	81.7
STBC-85	3 1/4	76.9	84.9
STBC-91	3 1/2	83.3	91.2
STBC-98	3 3/4	89.6	97.6
STBC-104	4	96.0	103.9
STBC-110	4 1/4	102.3	110.3
STBC-116	4 1/2	108.7	116.6
STBC-123	4 3/4	115.0	123.0
STBC-129	5	121.4	129.3
STBC-135	5 1/4	127.7	135.0
STBC-142	5 1/2	134.0	142.0
STBC-148	5 3/4	140.4	148.4
STBC-155	6	146.8	154.7
STBC-161	6 1/4	153.0	161.0
STBC-167	6 1/2	159.5	167.4
STBC-173	6 3/4	165.0	173.0
STBC-180	7	172.2	180.0
STBC-192	7 1/2	184.0	192.0

Spiral Clamps - Clockwise Wound



Part Number	Size
SCCW-051	2"
SCCW-063	2 1/2"
SCCW-076	3"
SCCW-100	4"
SCCW-125	5"
SCCW-150	6"
SCCW-200	8"
SCCW-250	10"

Spiral Clamps - Anticlockwise Wound



Part Number	Size
SCAC-051	2"
SCAC-063	2 1/2"
SCAC-076	3"
SCAC-100	4"
SCAC-125	5"
SCAC-150	6"
SCAC-200	8"
SCAC-250	10"

For use on convoluted hose.

3.
15

Malleable Iron Heavy Duty Double Bolt Clamps

Part Number	Hose O.D.(mm)		Torque
	From	To	
DBC-030	28	30	15
DBC-034	30	34	21
DBC-038	34	38	21
DBC-046	41	46	45
DBC-052	44	52	27
DBC-058	53	58	27
DBC-066	58	66	45
DBC-069	63	69	40
DBC-077	69	77	60
DBC-084	76	84	60
DBC-095	82	95	60
DBC-096	88	96	40
DBC-103	96	103	40
DBC-108	103	108	40
DBC-125	108	125	60
DBC-128	114	128	60
DBC-144	128	144	60
DBC-151	144	151	60
DBC-165	151	165	60
DBC-192	165	192	60
DBC-208	195	208	125
DBC-225	205	225	125
DBC-239	225	239	125
DBC-289	239	289	125
DBC-330	289	330	125
DBC-351	330	355	200
DBC-381	355	381	200
DBC-444	381	444	200



"CLAMP-IT" Buckles

Part Number	Width	Thickness	Box Qty	Material
SS/CBK-06	3/8"	.025	100	Stainless Steel
SS/CBK-08	1/2"	.030	100	Stainless Steel
SS/CBK-10	5/8"	.030	100	Stainless Steel
SS/CBK-12	3/4"	.030	50	Stainless Steel
GS/CBK-06	3/8"	.025	100	Galvanised Steel
GS/CBK-08	1/2"	.030	100	Galvanised Steel
GS/CBK-10	5/8"	.030	100	Galvanised Steel
GS/CBK-12	3/4"	.030	50	Galvanised Steel



EPDM Lined Pipe Clamps

Part Number	Diameter (mm)
PCL-014	14-20
PCL-020	20-25
PCL-026	26-32
PCL-032	32-39
PCL-040	40-47
PCL-048	48-53
PCL-054	54-58
PCL-058	58-64
PCL-068	68-72
PCL-072	72-80
PCL-082	82-86
PCL-088	88-92
PCL-108	108-112
PCL-112	112-118
PCL-137	137-142
PCL-159	159-162
PCL-164	164-168



3.
15

"CLAMP-IT" Strapping 30 mtrs per box

Part Number	Width	Thickness	Material
SS/CST-06	3/8"	.025	Stainless Steel
SS/CST-08	1/2"	.030	Stainless Steel
SS/CST-10	5/8"	.030	Stainless Steel
SS/CST-12	3/4"	.030	Stainless Steel
GS/CST-06	3/8"	.025	Galvanised Steel
GS/CST-08	1/2"	.030	Galvanised Steel
GS/CST-10	5/8"	.030	Galvanised Steel
GS/CST-12	3/4"	.030	Galvanised Steel



Unlined Pipe Clamps

Part Number	Diameter (mm)
PCU-020	20-25
PCU-026	26-30
PCU-031	31-38
PCU-040	40-46
PCU-047	47-51
PCU-052	52-56
PCU-057	57-62
PCU-063	63-66
PCU-067	67-71
PCU-072	72-75
PCU-076	76-81
PCU-082	82-88
PCU-089	89-94
PCU-095	95-102
PCU-103	103-107
PCU-108	108-117
PCU-118	118-123
PCU-124	124-132
PCU-133	133-143
PCU-144	144-149
PCU-150	150-159
PCU-160	160-168
PCU-169	169-175
PCU-176	176-182



Clamping Tool



Part Number

CLT-01

Screw Action Tool



Part Number

SAT-01

3.
15

Band Clamp Tools and Accessories



Part Number

MLT-01 Mallet for punch clamps



Part Number

LCT-01 Locking Tool. Portable hand tool used to apply punch type $\frac{3}{8}$ " and $\frac{5}{8}$ " band clamps



Part Number

HNT-01 Hand Tool. Intermediate hand tool for $\frac{3}{8}$ " and $\frac{5}{8}$ " band clamps



Part Number

HHT-01 Hand held tool for application of $\frac{5}{8}$ " band clamps



Part Number

HHT-02 Hand held tool for application of $\frac{3}{4}$ " K clamps

HHT-03 Hand held tool for application of $\frac{3}{8}$ " and $\frac{5}{8}$ " band clamps

